
Quotation

**“You yourself, as much as anybody
in the entire universe, deserve your
love and affection.”**

—Buddha

(5th-century B.C. Indian philosopher)

Harshness versus Compassion

How do you tend to talk to yourself—harshly or with compassion?

Harsh Self-Talk	Compassionate Self-Talk
Blaming, "beating yourself up" Prevents change Ignores the self Is easy	Loving, understanding Promotes change Listens to the self Is difficult

An example:

Harsh Self-Talk	Compassionate Self-Talk
"I drank last night. What a loser! I can't do anything right."	"I know drinking is dangerous, but I did it anyway. There must be a reason. Maybe it's because I'm upset about my brother's death. Next time I feel an urge to drink, I'll try to prevent it by calling my sponsor to talk about how I feel."

Ideas to consider:

Harshness may be associated with PTSD and substance abuse.

PTSD. If you feel a lot of emotional pain, you may take it out on yourself. This can take the form of putting yourself down ("You jerk!") or physical abuse such as self-cutting. If you were harshly criticized in childhood, you may have "internalized" those voices and are now criticizing yourself.

Substance abuse. Self-hatred often arises after using a substance. People feel ashamed and "yell" at themselves to try to prevent it from happening again. Yet the best way to prevent it is to explore compassionately why you used (e.g., feelings of deprivation? loneliness? fear?). Also, next time you have an urge to use, try talking to yourself in a compassionate way to avoid giving in to the urge (i.e., meet your needs in some other way).

Compassion promotes growth, while harshness prevents growth. You may think that harshness is "true" or is a way to "take responsibility"—that yelling at yourself will change your behavior. But self-hatred is a cheap trick, an illusion. It is a psychological defense that *prevents* growth. It is a destructive habit that is all too easy to do. Research shows that punishment does not change behavior in the long term; praise and understanding do. No matter what you have done, you can take responsibility for it without beating yourself up. Compassion means searching with an open, nonjudgmental mind into what happened. This promotes real change. If compassion is not familiar because you did not learn it when you were growing up, it may feel difficult. You may need to practice a lot for it to feel natural.

★ *Think about your own life:*

- What does your harsh self-talk sound like? What does your compassionate self-talk sound like?
- When you are harsh with yourself, does it keep you stuck in old behaviors?
- Is it easier for you to be harsh rather than compassionate with yourself?

From *Seeking Safety* by Lisa M. Najavits (2002). Copyright by The Guilford Press. Permission to photocopy this form is granted to purchasers of this book for personal use only (see copyright page for details).

Ways to Increase Compassion

When you notice harsh self-talk . . .

☞ Ask yourself, "***If I loved myself, what would I say to myself right now?***"

☞ Ask yourself, "***If I were really listening to my deepest needs, what would I say to myself?***"

☞ ***Try to explore the reasons underlying your actions.*** For example, if you drank, maybe it was because you were in a lot of pain. If you blew a job interview, maybe it's because you need more help and practice.

☞ ***Use kinder language;*** find a softer way to talk to yourself. For example, "I am a failure" is harsh, while "I have suffered a lot, so my progress may be slower" is kinder.

☞ ***Imagine that you are talking to a small child who has made a mistake.*** How would you talk to that child with compassion? For example, you might say, "It's okay. At least you're safe right now. You're a good person and you can keep figuring it out."

☞ ***Experiment with compassion,*** even for just a few minutes. If it feels very difficult, you may want to try "thought stopping" as a first step: Say "Stop thinking that!" loudly to yourself to break the cycle of harsh self-talk. Then try compassion.

☞ ***Try practicing!*** In the following situations, how could you talk to yourself compassionately to *prevent* unsafe behavior?

- You feel like using a substance because you are lonely.
 - You just got laid off from your job, and you feel like punching a wall.
 - Your partner broke up with you, and you want to kill yourself.
 - You got a poor grade on an exam, so you want to binge on food.
-

Safe Coping Sheet

Name: _____ Date: _____

You can learn to cope safely, no matter what happens in your life.

	Old Way	New Way
Situation		
★ <u>Your Coping</u> ★		
Consequence		

How safe is your old way of coping? _____ How safe is your new way of coping? _____

Rate from 0 (not at all safe) to 10 (totally safe)

From *Seeking Safety* by Lisa M. Najavits (2002). Copyright by The Guilford Press. Permission to photocopy this form is granted to purchasers of book for personal use only (see copyright page for details).